


## Claims

1. A compound of formula (I)



wherein:

$R^1$  is a  $C_{1-6}$  alkyl,  $C_{2-6}$  alkenyl,  $C_{2-6}$  alkenyl,  $C_{3-8}$ -cycloalkyl or a phenyl group, each group being optionally substituted by one or more substituents selected from halogen,  $OR^8$ ,  $NR^9R^{10}$ ,  $SR^{11}$  or  $C_{1-6}$  alkyl (itself optionally substituted by one or more halogen atoms);

$R^2$  is  $C_{1-8}$  alkyl optionally substituted by one or more substituents selected from halogen,  $OR^8$ ,  $NR^9R^{10}$ ,  $SR^{11}$ ,  $C_{3-8}$ -cycloalkyl, aryl (optionally substituted by one or more alkyl groups and/or halogen atoms), or  $C_{1-6}$ -alkyl; or  $R^2$  is a  $C_{3-8}$ -cycloalkyl group optionally substituted by one or more substituents selected from halogen,  $OR^8$ ,  $NR^9R^{10}$ ,  $SR^{11}$ ,

$C_{1-6}$ -alkyl or phenyl, the latter two groups being optionally substituted by one or more substituents selected from halogen,  $NO_2$ ,  $C(O)R^8$ ,  $OR^8$ ,  $SR^{11}$ ,  $NR^{12}R^{13}$ , a fused 5- or 6-membered saturated ring containing one or two oxygen atoms, phenyl or  $C_{1-6}$ -alkyl the latter two groups being optionally substituted by  $OR^8$ ,  $NR^9R^{10}$  or one or more halogen atoms;

one of  $R^3$  and  $R^4$  is hydroxy and the other is hydrogen, hydroxy or  $NR^9R^{10}$ ;

$R$  is a group  $(CR^5R^6)_mOR^7$  where  $m$  is 0 or 1,  $R^5$  and  $R^6$  are independently hydrogen,  $C_{1-6}$  alkyl or phenyl the latter two groups being optionally substituted by halogen, and  $R^7$  is hydrogen,  $C_{1-6}$  alkyl or  $(CR^5R^6)_nR^{14}$  where  $R^5$  and  $R^6$  are as defined above,  $n$  is 1 to 3 and  $R^{14}$  is  $COOH$ ,  $OR^{15}$ ,  $NR^{16}R^{17}$  or  $CONR^{16}R^{17}$ ;


or  $R$  is a  $C_{1-4}$  alkyl or  $C_{2-4}$  alkenyl group, each of which is substituted by one or more groups selected from  $=S$ ,  $=O$ ,  $=NR^{20}$  or  $OR^{21}$  and optionally substituted by one or more groups selected from halogen,  $C_{1-4}$  alkyl, phenyl,  $SR^{21}$ ,  $NO_2$  or  $NR^{22}R^{23}$  (where  $R^{21}$ ,  $R^{22}$  and  $R^{23}$  are independently hydrogen,  $C_{1-4}$  alkyl or phenyl;  $R^{20}$  is  $OR^{24}$  or  $NR^{25}R^{26}$ , where  $R^{24}$  is hydrogen,  $C_{1-4}$  alkyl or phenyl, and  $R^{25}$  and  $R^{26}$  are independently hydrogen,  $C_{1-4}$  alkyl, aryl,  $C_{1-6}$  acyl, arylsulphonyl or arylcarbonyl);

$R^8$  is hydrogen,  $C_{1-6}$  alkyl optionally substituted by halogen or  $R^8$  is phenyl optionally substituted by one or more substituents selected from halogen,  $NO_2$ ,  $C(O)R^6$ ,  $OR^6$ ,  $SR^9$ ,  $NR^{10}R^{11}$ ;

$R^9$ ,  $R^{10}$  and  $R^{11}$  are independently hydrogen or  $C_{1-6}$  alkyl;

- 5  $R^{12}$  and  $R^{13}$  are independently hydrogen,  $C_{1-6}$  alkyl, acyl, alkyl sulfonyl optionally substituted by halogen, or phenyl sulfonyl optionally substituted by  $C_1$ - $C_4$  alkyl; and  $R^{15}$ ,  $R^{16}$  and  $R^{17}$  are independently hydrogen or  $C_{1-6}$  alkyl; or a pharmaceutically acceptable salt or solvate thereof.

- 10 2. A compound of formula (I) <sup>as defined in claim 1</sup> having the following stereochemistry:



- 15 3. A compound according to claim 1 ~~or 2~~ in which  $R^1$  is  $C_{1-4}$  alkyl or phenyl substituted by trifluoromethyl.

4. A compound according to <sup>Claim 1</sup> ~~any one of claims 1 to 3~~ in which  $R^2$  is butyl or cyclopropyl optionally substituted by phenyl, the phenyl group itself being optionally substituted by one or more halogen,  ~~$C_{1-6}$  alkyl~~, phenoxy or phenyl groups.

- 20 5. A compound according to <sup>Claim 1</sup> ~~any one of claims 1 to 4~~ in which  $R^3$  and  $R^4$  are both hydroxy.

- 25 6. A compound according to <sup>Claim 1</sup> ~~any one of claims 1 to 5~~ in which  $R^5$  and  $R^6$  are both hydrogen.

7. A compound according to <sup>Claim 1</sup> ~~any one of claims 1 to 6~~ in which R is OH,  $CH_2OH$ ,  $CH_2CH_2OH$ ,  $OCH_2CH_2OH$ ,  $\dot{C}H_2OCH_2C(CH_3)_2OH$  and  $OCH_2C(CH_3)_2OH$ .

- 30 8. A compound according to claims 1 which is:

- [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(Hydroxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,  
 [1S-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-5-[7-[(Cyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-3-(hydroxymethyl)-cyclopentane-1,2-diol,  
 5 [1S-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-5-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-3-(hydroxymethyl)-cyclopentane-1,2-diol,  
 [1S-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-5-[7-(Butylamino)-5-[[4-(trifluoromethyl)phenyl]thio]-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-3-(hydroxymethyl)-cyclopentane-1,2-diol,  
 2-[[[1R-(1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ )]-4-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-2,3-dihydroxy-cyclopentyl]methoxy]acetic acid,  
 10 1-[[[1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-2-Hydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-2,3-dihydroxy-cyclopentyl]-ethanone,  
 1-[[[1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-4-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-2,3-dihydroxy-cyclopentyl]-2-hydroxy-ethanone,  
 15 1-[[[1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-2,3-Dihydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentyl]-ethanone,  
 1-[[[1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-4-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-2,3-dihydroxy-cyclopentyl]-ethanone,  
 [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(1-Hydroxy-1-methylethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,  
 20 [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,  
 [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[7-[(2-Phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,  
 25 2-[[[1S-[1 $\alpha$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-3-Hydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentyl]oxy]acetic acid,  
 2-[[[1S-[1 $\alpha$ ,2 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-2-Hydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentyl]oxy]acetic acid,  
 30 2-[[[1S-(1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ )]-4-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-2,3-dihydroxy-cyclopentyl]oxy]acetic acid,  
 2-[[[1S-(1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ )]-4-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-2,3-dihydroxycyclopentyl]oxy]acetamide,  
 [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[[5-(Methylthio)-7-[(2-phenylcyclopropyl)amino]-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,  
 35

- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[5-[(Methylethyl)thio]-7-[(2-phenylcyclopropyl)amino]-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(4-Fluorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- 5 [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(4-Methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[7-[[2-(4-Methylphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[7-[[2-(4-Chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- 10 2-[[[1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-2,3-Dihydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentyl]oxy]-acetamide,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[7-[[2-(3-Methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- 15 [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(3-Methylphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(3-Chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(3-Nitrophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- 20 [1S-[(1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*))]]-4-[7-[[2-(4-Phenoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(3-Phenoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- 25 [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*, 2R\*)]]-4-[7-[[2-(3-Aminophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,
- [1S-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-3-[7-(Butylamino)-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(3-hydroxypropoxy)-cyclopentane-1,2-diol,
- [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethoxy)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,
- 30 [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,
- [1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1S\*,2R\*),5 $\beta$ ]]-5-[7-[[2-(4-Chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-3-(hydroxymethyl)-cyclopentane-1,2-diol,
- 35

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*S*\*,2*R*\*),5 $\beta$ ]]-3-[7-[[2-(3-Chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Methoxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[5-(methylthio)-7-[(2-phenylcyclopropyl)amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-[(1-methylethyl)thio]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(prop-2-enylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[5-(4-methylphenylthio)-7-[(2-phenylcyclopropyl)amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,(*R*\*),5 $\beta$ (1*S*\*,2*R*\*)]]-3-(1-Hydroxyethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,(*S*\*),5 $\beta$ (1*S*\*,2*R*\*)]]-3-(1-Hydroxyethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[5-(Ethylthio)-7-[[2-phenylcyclopropyl]amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-[(1,1'-Biphenyl)-4-yl]cyclopropyl]amino]-5-

(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*R*-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-3-[7-(Butylamino)-5-(cyclopentylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-[4-(trifluoromethyl)-phenylthio]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(4-phenoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*S*\*,2*R*\*),5 $\beta$ ]]-3-[7-[[2-(2-Chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*))]-3-(2-Hydroxyethoxymethyl)-5-[7-[(2-

5 phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*R*\*,2*S*\*)]]-3-Hydroxy-2-methoxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentanemethanol,

10 [1*R*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*R*\*,2*S*\*)]]-2-Hydroxy-3-methoxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentanemethanol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (*E*),5 $\beta$ (1*S*\*,2*R*\*)]]-3-(3-Hydroxy-prop-1-enyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

15 [1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(3-Hydroxypropyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

1-[[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-2,3-Dihydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentyl]-2-methoxyethanone,

20 [1*S*-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-3-(Hydroxymethyl)-5-[7-[[(*trans*)-2-(3,4-methylenedioxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(3-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

25 [1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(4-hydroxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(3-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

30 [1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(3-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(4-Fluorophenyl)cyclopropyl]amino]-5-

35 (propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(3-nitrophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl] - cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*R*\*,2*S*\*)]]-3-[7-[[2-(3-Aminophenyl)cyclopropyl]amino]-5-

5 (propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3,5-Dimethoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

10 [1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-[(2-Hydroxy-2,2-dimethyl)ethoxy]-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-1,2-cyclopentanediol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-[4-(1-methylethoxy)phenyl]cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]- cyclopentane-1,2-diol,

15 [1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(3-Hydroxypropoxy)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-1,2-cyclopentanediol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*, 2*R*\*)]]-4-[7-[[2-(3,4-Difluorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

20 [1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*S*\*,2*R*\*),5 $\beta$ ]]-3-[7-[[2-(3,4-Difluorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*, 2*R*\*)]]-4-[7-[[2-(3,5-Difluorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

25 [1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*, 2*R*\*)]]-4-[7-[[2-[[1,1'-Biphenyl]-3-yl]cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-[[1,1'-Biphenyl]-3-yl]cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

30 *N*-Ethyl-[[[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-2,3-dihydroxy-4-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentyl]oxy]-acetamide,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*, 2*R*\*)]]-4-[7-[[2-(3-Methoxy-4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

35 [1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(4-*N,N*-Dimethylaminophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-hydroxymethyl-cyclopentane-1,2-diol,

[1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3-Fluoro-4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(4-methoxy-3-

5 methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3,4-Dichlorophenyl)cyclopropyl]amino]-5-

(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-3-(hydroxymethyl)-cyclopentane-1,2-diol,

10 1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-[(2-Amino)ethoxy]-5-[7-(2-phenylcyclopropyl)amino]-5-propylthio-3*H*-[1,2,3]-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1R-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ )]-3-[7-[[2-(3,4-Dimethylphenyl)cyclopropyl]amino]-5-

(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

15 [1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3,4-Dimethylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1R-(1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ )]-3-[7-(Cyclopropylamino)-5-[[4-(trifluoromethyl)phenyl]thio]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3,5-Dichlorophenyl)cyclopropyl]amino]-5-

20 (propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1R-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-*N*-[3-[2-[[3-(2,3,4-Trihydroxy-cyclopentyl)-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-yl]amino]cyclopropyl]phenyl]-methanesulfonamide,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3,4-Dimethoxyphenyl)cyclopropyl]amino]-5-

(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

25 [1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(4-Methoxy-3-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1R-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-*N*-[3-[2-[[3-(2,3,4-Trihydroxy-cyclopentyl)-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-yl]amino]cyclopropyl]phenyl]-acetamide,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3,4-Dichlorophenyl)cyclopropyl]amino]-5-

30 (propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(4-Chloro-3-methylphenyl)cyclopropyl]amino]-5-

(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (*trans*)]]-4-[7-[[2-(Phenylmethyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,



[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(4-Chloro-3-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3-Dimethylaminophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3-Fluoro-4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3,5-Dimethylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3-Chloro-4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3-Chloro-4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-*N*-[3-[[2-[3-[2,3-Dihydroxy-4-(hydroxymethyl)cyclopentyl]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-yl]amino]cyclopropyl]phenyl]-methanesulphonamide,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3,5-Dimethoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1*S*\*,2*R*\*)]]-4-[7-[[2-(3-Fluorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,

[1*R*-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-*N*-[[3-[2-[3-(2,3-Dihydroxy-4-hydroxymethylcyclopentyl)-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-yl]amino]cyclopropyl]phenyl]-acetamide,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3,5-Dichlorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-*N*-[3-[2-[[3-[2,3-Dihydroxy-4-(2-hydroxyethyl)-cyclopentyl]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-

yl]amino]cyclopropyl]phenyl]-methanesulfonamide,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(4-phenoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(3-

phenoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(4-Bromophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-[(1,1'-Biphenyl)-2-yl]cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-[(1,1'-Biphenyl)-3-yl]cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3,5-Dichlorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3,4-Dichlorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3-Chloro-4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3,4-Dimethoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-*N*-[3-[2-[[3-[2,3-Dihydroxy-4-(2-hydroxyethyl)-cyclopentyl]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-yl]amino]cyclopropyl]phenyl]-acetamide,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3-Chloro-4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(4-Chloro-4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(4-Fluoro-3-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(3-nitrophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(4-methoxy-3-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(3-methoxy-4-

5 methylphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(4-N,N-Dimethylaminophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

10 [1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(3,4-Difluorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(3,5-Difluorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

15 [1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(3-Chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

~~[1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,~~

[1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(2-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,

25 [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(4-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(3-methoxyphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,

30 [1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(3,5-Dimethylphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(4-Fluorophenyl)cyclopropyl]amino]-5-

35 (propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3-Fluorophenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(2-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(3-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-[[2-(4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[7-(cyclopropylamino)-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxy-2-methylpropoxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[7-[[2-(3-Chloro-4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ (1*S*\*,2*R*\*),2 $\beta$ ,3 $\beta$ ,4 $\alpha$ ]]-4-[2-[[3-(2,3,4-Trihydroxycyclopentyl)-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-7-yl]amino]cyclopropyl]phenylsulfonamide,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[5-(Butylthio)-7-[(2-phenylcyclopropyl)amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(hydroxymethyl)-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[5-(pentylthio)-7-[(2-phenylcyclopropyl)amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-(prop-2-ynylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(Hydroxymethyl)-5-[7-[[2-(3,5-

dimethylphenyl)cyclopropyl]amino]-5-(propylthio)-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*S*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1*S*\*,2*R*\*)]]-3-(2-Hydroxyethyl)-5-[5-(methylthio)-7-[(2-phenylcyclopropyl)amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-cyclopentane-1,2-diol,

[1*R*-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1*R*\*,2*S*\*),5 $\beta$ ]]-3-[5-(Butylthio)-7-[(2-phenylcyclopropyl)amino]-3*H*-1,2,3-triazolo[4,5-*d*]pyrimidin-3-yl]-5-(2-hydroxyethyl)-cyclopentane-1,2-diol,

[1R-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ (1R\*,2S\*),5 $\beta$ ]]-3-[7-[[2-(4-chlorophenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-5-[(2-hydroxy)ethoxy]-cyclopentane-1,2-diol,  
 [1S-[1 $\alpha$ ,2 $\alpha$ ,3 $\beta$ ,5 $\beta$ (1S\*,2R\*)]]-3-(Hydroxymethyl)-5-[7-[(2-phenylcyclopropyl)amino]-5-  
 5 [(3,3,3-trifluoropropyl)thio]-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2-diol,  
 [1S-[1 $\alpha$ ,2 $\beta$ ,3 $\beta$ ,4 $\alpha$ (1S\*,2R\*)]]-4-[7-[[2-(3-Chloro-4-methylphenyl)cyclopropyl]amino]-5-(propylthio)-3H-1,2,3-triazolo[4,5-d]pyrimidin-3-yl]-cyclopentane-1,2,3-triol,  
 or pharmaceutically acceptable salts or solvates thereof.

*Claim 1*

10 9. A pharmaceutical composition comprising a compound according to ~~any one of claims 1 to 8~~ in combination with a pharmaceutically acceptable diluent, adjuvant or carrier.

*Claim 1*

10 A compound according to ~~any one of claims 1 to 8~~ for use in therapy.

*Claim 1*


15 11. A compound according to ~~any one of claims 1 to 8~~ for use in the treatment or prevention of myocardial infarction, thrombotic stroke, transient ischaemic attacks, peripheral vascular disease and angina.

*Claim 1*

20 12. A compound according to ~~any one of claims 1 to 8~~ for use in the treatment or prevention of angina.


25 13. A method of treatment a platelet aggregation disorder which comprises administering to a patient suffering from such a disorder a therapeutically effective amount of a according to ~~any one of claims 1 to 8~~.

14. A process for the preparation of a compound of formula (I) *as defined in claim* which comprises;  
 (a) reacting a compound of formula (II):




(II)

where  $R$ ,  $R^1$ ,  $R^3$  and  $R^4$  are as defined in formula (I) or are protected derivatives thereof, and  $L$  is a leaving group with a compound of formula (III):



5

where  $R^2$  is as defined in formula (I) or is a protected derivative thereof, or  
(b) reacting a compound of formula (IV):




10

in which  $R^1$  and  $R^2$  are as defined in formula (I) or are protected derivatives thereof and  $P^1$  and  $P^2$  are protecting groups or hydrogen, with a suitable reagent to introduce a substituent  $R$ , or, for compounds where  $m$  is 0:

(c) hydroxylation of a compound of formula (V):

15



where  $R^1$ ,  $R^2$  and  $R^7$  are as defined in formula (I) or are protected derivatives thereof, and optionally thereafter (a), (b) or (c) and in any order:

20

- ~~• converting one or more functional groups into a further functional groups~~
- removing any protecting groups
  - forming a pharmaceutically acceptable salt or solvate.

25

140